FIRST-ORDER PERTURBATION ANALYSIS OF SECSI WITH GENERALIZED UNFOLDINGS

Yao Cheng¹, Sher Ali Cheema¹, Martin Haardt¹, Amir Weiss², and Arie Yeredor²

¹ Communications Research Laboratory Ilmenau University of Technology P.O. Box 100565, D-98684 Ilmenau, Germany {y.cheng, sher-ali.cheema, martin.haardt}@tu-ilmenau.de ² School of Electrical Engineering Tel-Aviv University
 P.O. Box 39040, Tel-Aviv 69978, Israel {amirwei2@mail, arie@eng}.tau.ac.il

ABSTRACT

Tensor decompositions are regarded as a powerful tool for multidimensional signal processing. In this contribution, we focus on the well-known Canonical Polyadic (CP) decomposition and present a first-order perturbation analysis of the SEmi-algebraic framework for approximate CP decompositions via SImultaneous matrix diagonalization with Generalized Unfoldings (SECSI-GU), which is advantageous for tensors of an order higher than three. Numerical results indicate that the analytical relative Mean Square Factor Error (rMSFE) of the estimated factor matrices resulting from each generalized unfolding considered in SECSI-GU matches the empirical rMSFE very well. As SECSI-GU considers all possible partitionings of the tensor modes resulting in a large number of candidate factor matrix estimates, an exhaustive search-based criterion to select the final factor matrix estimates leads to a prohibitive computational complexity. The accurate performance prediction achieved by the first-order perturbation analysis conducted in this paper will significantly facilitate the selection of the final factor matrix estimates in an efficient manner and will therefore contribute to a low-complexity enhancement of SECSI-GU.

Index Terms— Canonical Polyadic decomposition, generalized unfoldings, first-order perturbation analysis

1. INTRODUCTION

The R-way Canonical Polyadic (CP) decomposition, also known as Parallel Factor (PARAFAC) analysis [1] or Canonical Decomposition (CANDECOMP) [2], has found applications in a variety of research fields, including array signal processing, wireless communications, and image processing [3], [4], [5]. To accomplish the challenging task of computing an approximate CP decomposition of observed signals of interest in additive noise, a SEmialgebraic framework for approximate CP decompositions based on SImultaneous matrix diagonalizations (SECSI) was proposed in [6], [7], [8]. SECSI algebraically rephrases the CP decomposition into a set of less complex Simultaneous Matrix Diagonalization (SMD) problems. Combining generalized unfoldings with the idea of considering all possible generalized unfoldings to obtain multiple candidate CP models as in SECSI leads to SECSI with Generalized Unfoldings (SECSI-GU) [9]. For tensors with R > 3 dimensions, SECSI-GU enhances the identifiability and outperforms SECSI in terms of estimation accuracy, and it is very flexible in controlling the complexity-accuracy trade-off [9]. Such semi-algebraic approaches

exhibit superiority over the Alternating Least Squares (ALS) procedure [1], [2] which may require a large number of iterations and is sensitive to ill-conditioned data. In addition, the non-iterative nature of the semi-algebraic methods enables a parallelized implementation, which is not possible with iterative methods such as ALS.

Recently, the performance analysis of the truncated Higher-Order SVD (HOSVD) [10] and the approximate CP decomposition via SECSI [11] for 3-D tensors have been carried out. These new advances in perturbation analysis of tensor decompositions further spark the interest in developing a performance analysis framework for SECSI-GU. Taking into account all possible generalized unfoldings, SECSI-GU accordingly forms and solves a large number of SMDs (up to $3^R - 3 \cdot 2^R + 3$ for an *R*-D tensor [9] and twice this amount if the considerations at the end of Section 3 are taken into account). Several heuristic selection criteria have been proposed to determine which SMDs to solve and how to select the final estimates of the factor matrices [9]. A performance analysis of SECSI-GU will enable us to predict the performance of SECSI-GU with respect to each of the possible generalized unfoldings and consequently to select the generalized unfolding leading to the "best" solutions in terms of, e.g., the minimum relative Mean Square Factor Error (rMSFE). Hence, conducting an analytical performance evaluation of SECSI-GU is not only of theoretical but also of practical interest.

In this paper, we present a first-order perturbation analysis of SECSI-GU. Note that SECSI-GU constructs the matrices for each SMD following the concept of the "Semi-Algebraic Tensor Decomposition" (SALT) algorithm [12], later named DIAG (DIrect AlGorithm for canonical polyadic decomposition) [13], which is essentially different from that of SECSI. The performance analysis of SECSI-GU presented here has thus fundamental differences from that of SECSI in [11]. Moreover, the analytical performance evaluation of SECSI [11] was derived only for 3-D tensors, while the results shown in this contribution are applicable also to tensors with more than three dimensions. On the other hand, DIAG constructs only a single SMD from a single appropriately selected generalized unfolding, whereas all possible generalized unfoldings are considered in SECSI-GU, giving rise to multiple candidates of the factor matrix estimates. Owing to this fact, a performance evaluation of the DIAG algorithm is inherent in the proposed performance analysis framework for SECSI-GU. As the least-squares Khatri-Rao factorization [14] is employed in the final steps of SECSI-GU to obtain the estimates of the factor matrices [9], we are able to utilize our previous results of its performance analysis [15] to get the closed-form expression of the rMSFE. As we show via numerical simulations, it leads to a very accurate prediction for the rMSFE of SECSI-GU.

The authors gratefully acknowledge the financial support by the Carl-Zeiss-Foundation (http://carl-zeiss-stiftung.de/) and the German-Israeli Foundation (GIF), grant number I-1282-406.10/2014.

Throughout this paper, the *r*-mode product between an *R*-way tensor with size I_r along mode r = 1, 2, ..., R represented as $\mathcal{A} \in \mathbb{C}^{I_1 \times I_2 \times ... \times I_R}$ and a matrix $U \in \mathbb{C}^{P_r \times I_r}$ is written as $\mathcal{A} \times_r U$. It is computed by multiplying all *r*-mode vectors of \mathcal{A} with U, whereas the *r*-mode vectors of \mathcal{A} are obtained by varying the *r*-th index from 1 to I_r and keeping all other indices fixed. Aligning all *r*-mode vectors as the columns of a matrix yields the *r*-mode unfolding of \mathcal{A} which is denoted by $[\mathcal{A}]_{(r)} \in \mathbb{C}^{I_r \times I_{r+1} \cdot ... \cdot I_R \cdot I_1 \cdot ... \cdot I_{r-1}}$. In other words, $[\mathcal{A} \times_r U]_{(r)} = U \cdot [\mathcal{A}]_{(r)}$. Here the reverse cyclical ordering of the columns, as proposed in [16], is used for the *r*-mode unfoldings. The tensor $\mathcal{I}_{R,d}$ is an *R*-dimensional identity tensor of size $d \times d \times ... \times d$, which is equal to one if all *R* indices are equal and zero otherwise. A $d \times d$ identity matrix, on the other hand, is denoted by I_d . Moreover, the Kronecker product between two matrices is expressed by $\mathcal{A} \otimes \mathcal{B}$ and the Khatri-Rao (column-wise Kronecker) product by $\mathbf{A} \diamond \mathbf{B}$. The vectorization operation of a matrix is symbolized by vec{ \cdot }. We use the superscript $^+$ for the Moore-Penrose pseudo inverse of a matrix.

2. CP DECOMPOSITION VIA SECSI-GU

The CP decomposition of an R-way rank-d tensor \mathcal{X}_0 is written as

$$\boldsymbol{\mathcal{X}}_{0} = \boldsymbol{\mathcal{I}}_{R,d} \times_{1} \boldsymbol{F}_{1} \times_{2} \cdots \times_{R} \boldsymbol{F}_{R} \in \mathbb{C}^{M_{1} \times M_{2} \times \cdots \times M_{R}}, \quad (1)$$

where $\mathbf{F}_r \in \mathbb{C}^{M_r \times d}$ (r = 1, 2, ..., R) represent the factor matrices. Dividing the set of indices (1, 2, ..., R) into a *P*-dimensional subset $\boldsymbol{\alpha}^{(1)} = [\alpha_1, \alpha_2, ..., \alpha_P]$ and an (R - P)-dimensional subset $\boldsymbol{\alpha}^{(2)} = [\alpha_{P+1}, \alpha_{P+2}, ..., \alpha_R]$ with $1 \leq P < R$, SECSI-GU considers generalized unfoldings

$$\boldsymbol{\mathcal{X}}_{0}]_{\left(\boldsymbol{\alpha}^{(1)},\boldsymbol{\alpha}^{(2)}\right)} = \left(\boldsymbol{F}_{\alpha_{1}} \diamond \cdots \diamond \boldsymbol{F}_{\alpha_{P}}\right) \cdot \left(\boldsymbol{F}_{\alpha_{P+1}} \diamond \cdots \diamond \boldsymbol{F}_{\alpha_{R}}\right)^{\mathrm{T}}, (2)$$

where the first P indices are arranged into the rows and the remaining R - P indices into the columns. Assigning the different modes into three non-empty groups yields

$$egin{aligned} m{F}_{\mathrm{A}} &= m{F}_{lpha_1} \diamond \cdots \diamond m{F}_{lpha_t} \in \mathbb{C}^{M_{\mathrm{A}} imes d} \ m{F}_{\mathrm{B}} &= m{F}_{lpha_{t+1}} \diamond \cdots \diamond m{F}_{lpha_P} \in \mathbb{C}^{M_{\mathrm{B}} imes d} \ m{F}_{\mathrm{C}} &= m{F}_{lpha_{P+1}} \diamond \cdots \diamond m{F}_{lpha_R} \in \mathbb{C}^{M_{\mathrm{C}} imes d}, \end{aligned}$$

where $M_{\rm A} = \prod_{r=1}^{t} M_{\alpha_r}$, $M_{\rm B} = \prod_{r=t+1}^{P} M_{\alpha_r}$, and $M_{\rm C} = \prod_{r=P+1}^{R} M_{\alpha_r}$ with $1 \le t < P < R$. In addition, $\alpha_{\rm A}$, $\alpha_{\rm B}$, and $\alpha_{\rm C}$ contain the indices assigned to each of the three groups, respectively, which appear later in the legend of the figures in Section 4. Consequently, the generalized unfolding in (2) can be written as

$$[\boldsymbol{\mathcal{X}}_0]_{(\boldsymbol{\alpha}^{(1)},\boldsymbol{\alpha}^{(2)})} = (\boldsymbol{F}_{\mathrm{A}} \diamond \boldsymbol{F}_{\mathrm{B}}) \cdot \boldsymbol{F}_{\mathrm{C}}^{\mathrm{T}}.$$
 (3)

For a certain generalized unfolding of the perturbed version of \mathcal{X}_0 given by $\mathcal{X} = \mathcal{X}_0 + \mathcal{N}$, we summarize SECSI-GU as follows:

• Compute the truncated SVD of $[\mathcal{X}]_{(\alpha^{(1)},\alpha^{(2)})} \in \mathbb{C}^{M_{\mathrm{A}} \cdot M_{\mathrm{B}} \times M_{\mathrm{C}}}$ and obtain

$$[\boldsymbol{\mathcal{X}}]_{\left(\boldsymbol{\alpha}^{(1)},\boldsymbol{\alpha}^{(2)}\right)} \approx \hat{\boldsymbol{U}}^{[\mathrm{s}]} \cdot \hat{\boldsymbol{\Sigma}}^{[\mathrm{s}]} \cdot \hat{\boldsymbol{V}}^{[\mathrm{s}]^{\mathrm{H}}}, \qquad (4)$$

where $\hat{U}^{[s]} \in \mathbb{C}^{M_{A} \cdot M_{B} \times d}$, $\hat{V}^{[s]} \in \mathbb{C}^{M_{C} \times d}$, and $\hat{\Sigma}^{[s]} \in \mathbb{C}^{d \times d}$. The column space of $\hat{U}^{[s]}$ is an estimate of the column space of $[\mathcal{X}]_{(\alpha^{(1)}, \alpha^{(2)})}$. Also define $\hat{Z}^{[s]} = \hat{\Sigma}^{[s]} \cdot \hat{V}^{[s]^{H}} \in \mathbb{C}^{d \times M_{C}}$.

Partition Û^[s] ∈ C<sup>M_A·M_B×d into M_A blocks of size M_B×d denoted by Û^[s]_m, m = 1, 2, ..., M_A, such that
</sup>

$$\hat{\boldsymbol{U}}^{[\mathrm{s}]} = \begin{bmatrix} \hat{\boldsymbol{U}}_{1}^{[\mathrm{s}]} \\ \vdots \\ \hat{\boldsymbol{U}}_{M_{\mathrm{A}}}^{[\mathrm{s}]} \end{bmatrix}.$$
 (5)

 Construct a set of matrices Γ̂_{p,m} = Û̂^{[s]+}_p · Û̂^[s]_m ∈ C^{d×d}, where m = 1, 2, ..., M_A, and p is chosen according to

$$p = \underset{n=1,2,\ldots,M_{\mathcal{A}}}{\operatorname{arg\,min}} \operatorname{cond}\left\{\hat{\boldsymbol{U}}_{n}^{[\mathrm{s}]}\right\},\tag{6}$$

with cond $\{\cdot\}$ representing the condition number.

• Compute an (approximate) SMD of $\hat{\Gamma}_{p,m} \in \mathbb{C}^{d \times d}$ $(m = 1, 2, \dots, M_{\mathrm{A}})$

$$\hat{\boldsymbol{\Gamma}}_{p,m} \approx \hat{\boldsymbol{T}} \cdot \hat{\boldsymbol{D}}_m \cdot \hat{\boldsymbol{T}}^{-1}, \tag{7}$$

where \hat{D}_m are diagonal matrices, thereby obtaining $\hat{T} \in \mathbb{C}^{d \times d}$, which approximates the two Khatri-Rao products $F_A \diamond F_B$ and F_C as follows:

$$\hat{\boldsymbol{U}}^{[\mathrm{s}]} \cdot \hat{\boldsymbol{T}} \approx \boldsymbol{F}_{\mathrm{A}} \diamond \boldsymbol{F}_{\mathrm{B}} = \boldsymbol{F}_{\alpha_1} \diamond \cdots \diamond \boldsymbol{F}_{\alpha_P} \qquad (8)$$

$$\hat{\boldsymbol{Z}}^{[\mathrm{s}]^{\mathrm{I}}} \cdot \hat{\boldsymbol{T}}^{\mathrm{-T}} \approx \boldsymbol{F}_{\mathrm{C}} = \boldsymbol{F}_{\alpha_{P+1}} \diamond \cdots \diamond \boldsymbol{F}_{\alpha_{R}}.$$
(9)

 Perform the least-squares Khatri-Rao factorization of Û^[s] · Î and of Z^{[s]^T} · Î^{−T}, respectively, to obtain estimates of the factor matrices F̂_r (r = 1, 2, ..., R).

3. PERFORMANCE ANALYSIS OF SECSI-GU

Let us denote the perturbations of $F_A \diamond F_B$ and F_C caused by additive noise as $\Delta (F_A \diamond F_B)$ and ΔF_C , respectively. In this section, we derive the closed-form expression of $vec{\Delta (F_A \diamond F_B)}$ and $vec{\Delta F_C}$. They can be regarded as the input of the already established first-order perturbation analysis of the least-squares Khatri-Rao factorization [15] to finally obtain the closed-form expression of the rMSFE of each factor matrix.

With $\Delta U^{[s]}$ and ΔT representing the perturbations of $U^{[s]}$ and T, respectively, as in

$$\hat{\boldsymbol{U}}^{[\mathrm{s}]} = \boldsymbol{U}^{[\mathrm{s}]} + \Delta \boldsymbol{U}^{[\mathrm{s}]} \text{ and } \hat{\boldsymbol{T}} = \boldsymbol{T} + \Delta \boldsymbol{T}, \tag{10}$$

 $\Delta (\boldsymbol{F}_{A} \diamond \boldsymbol{F}_{B})$ can be expressed as

$$\Delta (\boldsymbol{F}_{\mathrm{A}} \diamond \boldsymbol{F}_{\mathrm{B}}) = \Delta \boldsymbol{U}^{[\mathrm{s}]} \cdot \boldsymbol{T} + \boldsymbol{U}^{[\mathrm{s}]} \cdot \Delta \boldsymbol{T} + \mathcal{O}(\Delta^{2}), \qquad (11)$$

where $\mathcal{O}(\Delta^2)$ includes all terms with an order higher than one. The SVD of $[\mathcal{X}_0]_{(\alpha^{(1)},\alpha^{(2)})}$ is given by

$$\left[\boldsymbol{\mathcal{X}}_{0}\right]_{\left(\boldsymbol{\alpha}^{(1)},\boldsymbol{\alpha}^{(2)}\right)} = \left[\boldsymbol{U}^{[\mathrm{s}]} \ \boldsymbol{U}^{[\mathrm{n}]}\right] \cdot \left[\begin{array}{cc} \boldsymbol{\Sigma}^{[\mathrm{s}]} & \boldsymbol{0} \\ \boldsymbol{0} & \boldsymbol{0} \end{array}\right] \cdot \left[\boldsymbol{V}^{[\mathrm{s}]} \ \boldsymbol{V}^{[\mathrm{n}]}\right]^{\mathrm{H}},$$

where the columns of $U^{[s]} \in \mathbb{C}^{M_{A} \cdot M_{B} \times d}$, $V^{[s]} \in \mathbb{C}^{M_{C} \times d}$, and $U^{[n]} \in \mathbb{C}^{M_{A} \cdot M_{B} \times (M_{A} \cdot M_{B} - d)}$ span the column space, row space, and null space of $[\mathcal{X}_{0}]_{(\alpha^{(1)},\alpha^{(2)})}$, respectively. In addition, $\Sigma^{[s]} \in \mathbb{C}^{d \times d}$ is a diagonal matrix whose diagonal elements are the *d* non-zero singular values of $[\mathcal{X}_{0}]_{(\alpha^{(1)},\alpha^{(2)})}$. Based on the first-order perturbation analysis of the SVD [17], we have

$$\Delta \boldsymbol{U}^{[s]} = \boldsymbol{\Upsilon}^{[n]} \cdot [\boldsymbol{\mathcal{N}}]_{\left(\boldsymbol{\alpha}^{(1)}, \boldsymbol{\alpha}^{(2)}\right)} \cdot \boldsymbol{V}^{[s]} \cdot \boldsymbol{\Sigma}^{[s]^{-1}} + \mathcal{O}(\Delta^2), \quad (12)$$

where $\boldsymbol{\Upsilon}^{[n]} = \boldsymbol{U}^{[n]} \cdot \boldsymbol{U}^{[n]^{H}} \in \mathbb{C}^{M_{A} \cdot M_{B} \times M_{A} \cdot M_{B}}$ is the projection matrix into the noise subspace of $[\boldsymbol{\mathcal{X}}_{0}]_{(\boldsymbol{\alpha}^{(1)}, \boldsymbol{\alpha}^{(2)})}$, and $[\boldsymbol{\mathcal{N}}]_{(\boldsymbol{\alpha}^{(1)}, \boldsymbol{\alpha}^{(2)})}$ is the generalized unfolding of $\boldsymbol{\mathcal{N}}$. The vectorization of $\Delta \boldsymbol{U}^{[s]}$ is obtained as

$$\operatorname{vec}\left\{\Delta \boldsymbol{U}^{[\mathrm{s}]}\right\} = \left(\boldsymbol{\Sigma}^{[\mathrm{s}]^{-1}} \cdot \boldsymbol{V}^{[\mathrm{s}]^{\mathrm{T}}} \otimes \boldsymbol{\Upsilon}^{[\mathrm{n}]}\right) \cdot \operatorname{vec}\left\{[\boldsymbol{\mathcal{N}}]_{\left(\boldsymbol{\alpha}^{(1)},\boldsymbol{\alpha}^{(2)}\right)}\right\} + \mathcal{O}(\Delta^{2}).$$
(13)

Assume that the covariance matrix \mathbf{R}_{nn} of the vectorization of the 1-mode unfolding of the noise tensor \mathcal{N} , given by $\mathbf{n}_1 =$ $\operatorname{vec}\left\{\left[\mathcal{N}\right]_{(1)}\right\}$, is known. We now define a permutation matrix $\mathbf{P} \in \{1,0\}^{M \times M}$ that satisfies $\operatorname{vec}\left\{\left[\mathcal{N}\right]_{(\boldsymbol{\alpha}^{(1)},\boldsymbol{\alpha}^{(2)})}\right\} = \mathbf{P} \cdot \mathbf{n}_1$ and consequently write the vectorization of $\Delta \mathbf{U}^{[s]}$ in the form of

$$\operatorname{vec}\left\{\Delta \boldsymbol{U}^{[\mathrm{s}]}\right\} = \boldsymbol{K}_{0} \cdot \boldsymbol{n}_{1} + \mathcal{O}(\Delta^{2}), \quad (14)$$

where $\boldsymbol{K}_0 = \left(\boldsymbol{\Sigma}_{[\mathrm{s}]^{-1}}^{\mathrm{[s]^{T}}} \otimes \boldsymbol{\Upsilon}^{[\mathrm{n}]} \right) \cdot \boldsymbol{P} \in \mathbb{C}^{d \cdot M_\mathrm{A} \cdot M_\mathrm{B} \times M}.$

To compute \hat{T} in SECSI-GU, we employ the JDTM (Joint Diagonalization based on Targeting hyperbolic Matrices) algorithm [18] for the SMD of $\hat{\Gamma}_{p,m} \in \mathbb{C}^{d \times d}$ $(m = 1, 2, ..., M_A)$. According to the performance analysis of JDTM in [19], we have

$$\operatorname{ec} \left\{ \Delta \boldsymbol{T} \right\} = -\boldsymbol{A}^{+} \cdot \boldsymbol{B} \cdot \boldsymbol{\gamma} + \mathcal{O}(\Delta^{2}), \quad (15)$$

where

$$oldsymbol{A} = \left[egin{array}{c} oldsymbol{A}_1\ dots\ oldsymbol{A}_M \end{array}
ight], \quad oldsymbol{B} = oldsymbol{I}_{M_{
m A}} \otimes oldsymbol{B}_0, \quad oldsymbol{\gamma} = \left[egin{array}{c} oldsymbol{\gamma}_1\ dots\ oldsymbol{\gamma}_{M_{
m A}}\end{array}
ight],
onumber \ oldsymbol{B} = oldsymbol{J}_{M_{
m A}} \otimes oldsymbol{B}_0, \quad oldsymbol{\gamma} = \left[egin{array}{c} oldsymbol{\gamma}_1\ dots\ oldsymbol{\gamma}_{M_{
m A}}\end{array}
ight],
onumber \ oldsymbol{B} = oldsymbol{J}_{M_{
m A}} \otimes oldsymbol{B}_0, \quad oldsymbol{\gamma} = \left[egin{array}{c} oldsymbol{\gamma}_1\ dots\ oldsymbol{\gamma}_{M_{
m A}}\end{array}
ight],
onumber \ oldsymbol{B} = oldsymbol{J}_{M_{
m A}} \otimes oldsymbol{B}_0, \quad oldsymbol{\gamma} = \left[endsymbol{D}_{M_{
m A}}^{-1}
ight],
onumber \ oldsymbol{D} = oldsymbol{D}_{M_{
m A}}^{-1} \otimes oldsymbol{D}_{M_{
m A}}^{-1} \otimes oldsymbol{D}_{M_{
m A}}^{-1}$$

$$\begin{aligned} \mathbf{B}_{0} &= \mathbf{J}_{(d)} \cdot \left(\mathbf{I} \otimes \mathbf{I} \right) \in \mathbb{C} \quad , \\ \mathbf{A}_{m} &= \mathbf{J}_{(d)} \cdot \left(\mathbf{I}_{d} \otimes \left(\mathbf{T}^{-1} \cdot \mathbf{\Gamma}_{p,m} \right) - \mathbf{D}_{m} \otimes \mathbf{T}^{-1} \right) \in \mathbb{C}^{d^{2} \times d^{2}}, \\ \boldsymbol{\gamma}_{m} &= \operatorname{vec} \left\{ \Delta \boldsymbol{\Gamma}_{p,m} \right\} \in \mathbb{C}^{d^{2}}. \end{aligned}$$

$$(16)$$

Here a selection matrix is defined as $J_{(d)} \in \{0,1\}^{d^2 \times d^2}$ such that vec $\{Off(\boldsymbol{X})\} = J_{(d)} \cdot vec \{\boldsymbol{X}\}$, where the $Off(\cdot)$ operator sets the diagonal elements of its input matrix to zeros. Note that $\Gamma_{p,m}$ and \boldsymbol{D}_m are constructed from the noiseless tensor $\boldsymbol{\mathcal{X}}_0$ and therefore can be regarded as the "true" version of $\hat{\Gamma}_{p,m}$ and $\hat{\boldsymbol{D}}_m$, respectively. To derive the perturbation of $\Gamma_{p,m}$ denoted by $\Delta\Gamma_{p,m}$ in (16), let us write $\hat{\Gamma}_{p,m}$ in the following form

$$\boldsymbol{\Gamma}_{p,m} + \Delta \boldsymbol{\Gamma}_{p,m} = \left(\boldsymbol{U}_p^{[\mathrm{s}]} + \Delta \boldsymbol{U}_p^{[\mathrm{s}]} \right)^+ \cdot \left(\boldsymbol{U}_m^{[\mathrm{s}]} + \Delta \boldsymbol{U}_m^{[\mathrm{s}]} \right).$$
(17)

Based on [20], the matrix pseudo inversion in (17) is expressed as

$$\left(\boldsymbol{U}_{p}^{[\mathrm{s}]} + \Delta \boldsymbol{U}_{p}^{[\mathrm{s}]}\right)^{+} = \boldsymbol{U}_{p}^{[\mathrm{s}]^{+}} - \boldsymbol{U}_{p}^{[\mathrm{s}]^{+}} \cdot \Delta \boldsymbol{U}_{p}^{[\mathrm{s}]} \cdot \boldsymbol{U}_{p}^{[\mathrm{s}]^{+}} + \mathcal{O}(\Delta^{2}).$$
(18)

Inserting (18) into (17), we obtain the perturbation $\Delta \Gamma_{p,m}$ as

$$\Delta \boldsymbol{\Gamma}_{p,m} = \boldsymbol{U}_p^{[\mathrm{s}]^+} \cdot \Delta \boldsymbol{U}_m^{[\mathrm{s}]} - \boldsymbol{U}_p^{[\mathrm{s}]^+} \cdot \Delta \boldsymbol{U}_p^{[\mathrm{s}]} \cdot \boldsymbol{U}_p^{[\mathrm{s}]^+} \cdot \boldsymbol{U}_m^{[\mathrm{s}]} + \mathcal{O}(\Delta^2).$$

Define two block selection matrices J_m and J_p such that $\Delta U_m^{[s]} = J_m \cdot \Delta U^{[s]}$ and $\Delta U_p^{[s]} = J_p \cdot \Delta U^{[s]}$, respectively. Consequently, $\gamma_m = \text{vec} \{\Delta \Gamma_{p,m}\}$ first given in (16) is now written as

$$\boldsymbol{\gamma}_{m} = \left(\boldsymbol{I}_{d} \otimes \left(\boldsymbol{U}_{p}^{[\mathrm{s}]^{+}} \cdot \boldsymbol{J}_{m}\right)\right) \cdot \operatorname{vec}\left\{\Delta \boldsymbol{U}^{[\mathrm{s}]}\right\} + \mathcal{O}(\Delta^{2}) \qquad (19)$$
$$- \left(\left(\boldsymbol{U}_{p}^{[\mathrm{s}]^{+}} \cdot \boldsymbol{U}_{m}^{[\mathrm{s}]}\right)^{\mathrm{T}} \otimes \left(\boldsymbol{U}_{p}^{[\mathrm{s}]^{+}} \cdot \boldsymbol{J}_{p}\right)\right) \cdot \operatorname{vec}\left\{\Delta \boldsymbol{U}^{[\mathrm{s}]}\right\}.$$

Substituting vec $\{\Delta U^{[s]}\}$ in (20) by (14) allows us to express γ , where γ_m ($m = 1, 2, ..., M_A$) are stacked, as

$$\boldsymbol{\gamma} = \boldsymbol{K}_2 \cdot \boldsymbol{n}_1 + \mathcal{O}(\Delta^2), \qquad (20)$$

with $\mathbf{K}_2 = \begin{bmatrix} \mathbf{K}_1^{(1)^{\mathrm{T}}} & \cdots & \mathbf{K}_1^{(M_{\mathrm{A}})^{\mathrm{T}}} \end{bmatrix}^{\mathrm{T}}$ containing the stacking of $\mathbf{K}_1^{(m)} \in \mathbb{C}^{d^2 \times M}$ $(m = 1, 2, \dots, M_{\mathrm{A}})$ defined via

$$\boldsymbol{K}_{1}^{(m)} = \left(\boldsymbol{I}_{d} \otimes \left(\boldsymbol{U}_{p}^{[\mathrm{s}]^{+}} \cdot \boldsymbol{J}_{m}\right) - \left(\boldsymbol{U}_{p}^{[\mathrm{s}]^{+}} \cdot \boldsymbol{U}_{m}^{[\mathrm{s}]}\right)^{\mathrm{T}} \otimes \left(\boldsymbol{U}_{p}^{[\mathrm{s}]^{+}} \cdot \boldsymbol{J}_{p}\right)\right) \cdot \boldsymbol{K}_{0}.$$
(21)

Accordingly, we obtain vec $\{\Delta T\}$ first given in (15) as

$$\operatorname{vec}\left\{\Delta \boldsymbol{T}\right\} = \boldsymbol{K}_3 \cdot \boldsymbol{n}_1 + \mathcal{O}(\Delta^2), \qquad (22)$$

where $K_3 = -A^+ \cdot B \cdot K_2 \in \mathbb{C}^{d^2 \times M}$.

The vectorization of $\Delta (F_{\rm A} \diamond F_{\rm B})$ takes the form

$$\operatorname{vec} \left\{ \Delta \left(\boldsymbol{F}_{\mathrm{A}} \diamond \boldsymbol{F}_{\mathrm{B}} \right) \right\} = \left(\boldsymbol{T}^{\mathrm{T}} \otimes \boldsymbol{I}_{M_{\mathrm{A}} \cdot M_{\mathrm{B}}} \right) \cdot \operatorname{vec} \left\{ \Delta \boldsymbol{U}^{[\mathrm{s}]} \right\}$$
(23)
$$+ \left(\boldsymbol{I}_{d} \otimes \boldsymbol{U}^{[\mathrm{s}]} \right) \cdot \operatorname{vec} \left\{ \Delta \boldsymbol{T} \right\} + \mathcal{O}(\Delta^{2}).$$

By inserting (14) and (22) into (23), we have

$$\operatorname{vec}\left\{\Delta\left(\boldsymbol{F}_{\mathrm{A}}\diamond\boldsymbol{F}_{\mathrm{B}}\right)\right\}=\boldsymbol{K}_{4}\cdot\boldsymbol{n}_{1}+\mathcal{O}(\Delta^{2}),$$
(24)

where $\boldsymbol{K}_4 = \left(\boldsymbol{T}^{\mathrm{T}} \otimes \boldsymbol{I}_{M_{\mathrm{A}} \cdot M_{\mathrm{B}}} \right) \cdot \boldsymbol{K}_0 + \left(\boldsymbol{I}_d \otimes \boldsymbol{U}^{[\mathrm{s}]} \right) \cdot \boldsymbol{K}_3.$

In the following, we proceed to derive vec $\{\Delta \vec{F}_{\rm C}\}$. To this end, let us express $\hat{F}_{\rm C}$ as

$$\boldsymbol{F}_{\mathrm{C}} + \Delta \boldsymbol{F}_{\mathrm{C}} = \left(\boldsymbol{Z}^{[\mathrm{s}]^{\mathrm{T}}} + \Delta \boldsymbol{Z}^{[\mathrm{s}]^{\mathrm{T}}} \right) \cdot \left(\boldsymbol{T} + \Delta \boldsymbol{T} \right)^{-\mathrm{T}}, \quad (25)$$

where $\Delta Z^{[s]}$ denotes the perturbation of $Z^{[s]}$ such that $\hat{Z}^{[s]} = Z^{[s]} + \Delta Z^{[s]}$. Owing to the fact that [20]

$$(\boldsymbol{T} + \Delta \boldsymbol{T})^{-1} = \boldsymbol{T}^{-1} - \boldsymbol{T}^{-1} \cdot \Delta \boldsymbol{T} \cdot \boldsymbol{T}^{-1} + \mathcal{O}(\Delta^2), \quad (26)$$

 $\Delta F_{\rm C}$ can be further written as

$$\Delta \boldsymbol{F}_{\mathrm{C}} = \Delta \boldsymbol{Z}^{[\mathrm{s}]^{\mathrm{T}}} \cdot \boldsymbol{T}^{-\mathrm{T}} - \boldsymbol{Z}^{[\mathrm{s}]^{\mathrm{T}}} \cdot \boldsymbol{T}^{-\mathrm{T}} \cdot \Delta \boldsymbol{T}^{\mathrm{T}} \cdot \boldsymbol{T}^{-\mathrm{T}} + \mathcal{O}(\Delta^{2}).$$

Vectorizing $\Delta F_{\rm C}$ leads to

$$\operatorname{vec} \left\{ \Delta \boldsymbol{F}_{\mathrm{C}} \right\} = \left(\boldsymbol{T}^{-1} \otimes \boldsymbol{I}_{M_{\mathrm{C}}} \right) \cdot \operatorname{vec} \left\{ \Delta \boldsymbol{Z}^{[\mathrm{s}]^{\mathrm{T}}} \right\} + \mathcal{O}(\Delta^{2}) \\ - \left(\boldsymbol{T}^{-1} \otimes \left(\boldsymbol{Z}^{[\mathrm{s}]^{\mathrm{T}}} \cdot \boldsymbol{T}^{-\mathrm{T}} \right) \right) \cdot \operatorname{vec} \left\{ \Delta \boldsymbol{T}^{\mathrm{T}} \right\}.$$
(27)

Defining a permutation matrix $P_{(d,d)} \in \{0,1\}^{d^2 \times d^2}$ satisfying vec $\{\Delta \boldsymbol{T}^{\mathrm{T}}\} = \boldsymbol{P}_{(d,d)} \cdot \operatorname{vec} \{\Delta \boldsymbol{T}\}$ enables us to use vec $\{\Delta \boldsymbol{T}\}$ already obtained in (22). To derive vec $\{\Delta \boldsymbol{Z}^{[\mathrm{s}]^{\mathrm{T}}}\}$ for the final expression of vec $\{\Delta F_{\mathrm{C}}\}$ given in (27), we rewrite $\hat{\boldsymbol{Z}}^{[\mathrm{s}]}$ originally defined as $\hat{\boldsymbol{Z}}^{[\mathrm{s}]} = \hat{\boldsymbol{\Sigma}}^{[\mathrm{s}]} \cdot \hat{\boldsymbol{V}}^{[\mathrm{s}]^{\mathrm{H}}}$ into

$$\hat{\boldsymbol{Z}}^{[\mathrm{s}]} = \boldsymbol{Z}^{[\mathrm{s}]} + \Delta \boldsymbol{Z}^{[\mathrm{s}]} = \hat{\boldsymbol{U}}^{[\mathrm{s}]^{\mathrm{H}}} \cdot [\boldsymbol{\mathcal{X}}]_{(\boldsymbol{\alpha}^{(1)}, \boldsymbol{\alpha}^{(2)})}.$$
(28)

The resulting expression of $\Delta Z^{[s]^{'1}}$

$$\Delta \boldsymbol{Z}^{[\mathrm{s}]^{\mathrm{T}}} = [\boldsymbol{\mathcal{X}}_{0}]^{\mathrm{T}}_{(\boldsymbol{\alpha}^{(1)},\boldsymbol{\alpha}^{(2)})} \cdot \Delta \boldsymbol{U}^{[\mathrm{s}]^{*}} + [\boldsymbol{\mathcal{N}}]^{\mathrm{T}}_{(\boldsymbol{\alpha}^{(1)},\boldsymbol{\alpha}^{(2)})} \cdot \boldsymbol{U}^{[\mathrm{s}]^{*}} + \mathcal{O}(\Delta^{2})$$

is further simplified into

$$\Delta \boldsymbol{Z}^{[\mathrm{s}]^{\mathrm{T}}} = [\boldsymbol{\mathcal{N}}]^{\mathrm{T}}_{(\boldsymbol{\alpha}^{(1)},\boldsymbol{\alpha}^{(2)})} \cdot \boldsymbol{U}^{[\mathrm{s}]^{*}} + \mathcal{O}(\Delta^{2})$$

due to the observation that the first term $[\boldsymbol{\mathcal{X}}_0]^{\mathrm{T}}_{(\boldsymbol{\alpha}^{(1)},\boldsymbol{\alpha}^{(2)})} \cdot \Delta \boldsymbol{U}^{[\mathrm{s}]^*}$ is a zero matrix according to the definition of $\Delta \boldsymbol{U}^{[\mathrm{s}]}$ in (12). Taking the vectorization of $\Delta \boldsymbol{Z}^{[\mathrm{s}]^{\mathrm{T}}}$ gives

$$\operatorname{vec}\left\{\Delta \boldsymbol{Z}^{[\mathrm{s}]^{\mathrm{T}}}\right\} = \boldsymbol{K}_{5} \cdot \boldsymbol{n}_{1} + \mathcal{O}(\Delta^{2}), \qquad (29)$$

where $\boldsymbol{K}_{5} = \left(\boldsymbol{U}^{[s]^{H}} \otimes \boldsymbol{I}_{M_{C}}\right) \cdot \widetilde{\boldsymbol{P}} \in \mathbb{C}^{d \cdot M_{C} \times M}$ and $\widetilde{\boldsymbol{P}} \in \{1, 0\}^{M \times M}$ is a permutation matrix leading to vec $\left\{\left[\boldsymbol{\mathcal{N}}\right]_{\left(\boldsymbol{\alpha}^{(1)}, \boldsymbol{\alpha}^{(2)}\right)}^{\mathrm{T}}\right\}$ = $\widetilde{\boldsymbol{P}} \cdot \boldsymbol{n}_{1}$.

Finally, vec $\{\Delta F_{\rm C}\}$ takes the form

$$\operatorname{vec}\left\{\Delta \boldsymbol{F}_{\mathrm{C}}\right\} = \boldsymbol{K}_{6} \cdot \boldsymbol{n}_{1} + \mathcal{O}(\Delta^{2}), \qquad (30)$$

where

$$oldsymbol{K}_6 = \left(oldsymbol{T}^{-1} \otimes oldsymbol{I}_{M_{
m C}}
ight) \cdot oldsymbol{K}_5 \ - \left(oldsymbol{T}^{-1} \otimes \left(oldsymbol{Z}^{[{
m s}]^{
m T}} \cdot oldsymbol{T}^{-{
m T}}
ight)
ight) \cdot oldsymbol{P}_{(d,d)} \cdot oldsymbol{K}_3 \in \mathbb{C}^{d \cdot M_{
m C} imes M}.$$

Taking $\operatorname{vec}\{\Delta(\mathbf{F}_{A} \diamond \mathbf{F}_{B})\}\$ and $\operatorname{vec}\{\Delta\mathbf{F}_{C}\}\$ as the input of the performance analysis of the least-squares Khatri-Rao factorization [15], we are able to obtain the first-order perturbation of \mathbf{F}_{r} denoted by $\Delta\mathbf{F}_{r}$. Its vectorization $\operatorname{vec}\{\Delta\mathbf{F}_{r}\}\$ can be expressed as $\operatorname{vec}\{\Delta\mathbf{F}_{r}\}=\mathbf{K}\cdot\mathbf{n}_{1}+\mathcal{O}(\Delta^{2})\$ similar to the vectorization of the perturbation terms derived above. Subsequently, we get the closed-form expression of the rMSFE for each factor matrix in terms of the second-order moments of the noise, i.e., the covariance matrix \mathbf{R}_{nn} with respect to \mathbf{n}_{1} . For detailed derivations and the resulting explicit expression of \mathbf{K} as well as the rMSFE, the reader is referred to [15].

It is worth noting that \hat{T} can be alternatively obtained via the joint diagonalization of another set matrices given by $\Omega_{p,m} = \hat{Z}_m^{[s]} \cdot \hat{Z}_p^{[s]^+} \in \mathbb{C}^{d \times d}$, where $\hat{Z}_m^{[s]} \in \mathbb{C}^{d \times M_{\mathrm{C}}^{(2)}}$ $(m = 1, 2, \dots, M_{\mathrm{C}}^{(1)})$ are obtained by partitioning $\hat{Z}^{[s]}$ as

$$\hat{Z}^{[s]} = \begin{bmatrix} \hat{Z}_1^{[s]} & \cdots & \hat{Z}_{M_{\rm C}^{(1)}}^{[s]} \end{bmatrix}$$
 (31)

with $M_{\rm C}^{(1)} = \prod_{r=P+1}^{q} M_{\alpha_r}$ and $M_{\rm C}^{(2)} = \prod_{r=q+1}^{R} M_{\alpha_r}$, i.e., $M_{\rm C} = M_{\rm C}^{(1)} \cdot M_{\rm C}^{(2)}$. The index *p* corresponds to the block $\hat{Z}_p^{[{\rm s}]}$ that has the minimum condition number. Due to space limitations, the first-order perturbation analysis of SECSI-GU where the SMDs are constructed as mentioned above is not included in this paper.

4. SIMULATION RESULTS

To demonstrate the validity of our first-order performance analysis of SECSI-GU, we present comparisons between the analytical total rMSFE and empirical ones obtained via Monte Carlo simulations. The factor matrices F_r (r = 1, 2, ..., R) contain elements drawn independently from a zero-mean Gaussian distribution with unit variance, while elements of the noise tensor \mathcal{N} were drawn similarly with variance σ_n^2 . Accordingly, we define SNR = $1/\sigma_n^2$. Fig. 1 depicts the results for a real-valued case where R = 4, $M_1 = 4$, $M_2 = 7$, $M_3 = 6$, $M_4 = 4$, and d = 4. A complex-valued case is considered in Fig. 2, where R = 5, $M_r = 4$ (r = 1, ..., R), and d = 4. In the R = 4 and R = 5 scenarios, the total number



Fig. 1. Empirical and analytical total rMSFE versus SNR for a realvalued scenario where R = 4, $M_1 = 4$, $M_2 = 7$, $M_3 = 6$, $M_4 = 4$, and d = 4; "E" in the legend is short for "Empirical", whereas "A" for "Analytical"



Fig. 2. Empirical and analytical total rMSFE versus SNR for a complex-valued scenario where R = 5, $M_r = 4$ (r = 1, ..., R), and d = 4; "E" in the legend is short for "Empirical", whereas "A" for "Analytical"

of generalized unfoldings to be considered reaches 36 and 150, respectively. For clarity of the figures, only the results with respect to a few generalized unfoldings are shown as representative examples. In both cases, a good match between the analytical and empirical results is evident, especially in the higher SNR regime.

5. CONCLUSION

We have presented a first-order perturbation analysis of SECSI-GU for the approximate CP decomposition of noise-corrupted tensors of an order higher than three. To obtain the closed-form expression of the rMSFE for each factor matrix, we derived the first-order perturbations of all intermediate outcomes at every step of the SECSI-GU framework, ranging from the formulation of target matrices for the SMDs, to the estimation of the Khatri-Rao products of the factor matrices. Simulation results show that our performance analysis of SECSI-GU is able to predict the rMSFEs for each possible generalized unfolding very accurately, especially in the higher SNR regime. For future work, an efficient selection scheme for SECSI-GU will be designed, which determines the generalized unfolding to be considered based on the performance prediction provided by this first-order perturbation analysis. It will avoid computing all possible factor matrix estimates corresponding to all possible generalized unfoldings.

6. REFERENCES

- R. A. Harshman, "Foundations of the PARAFAC procedure: Models and conditions for an "explanatory" multi-modal factor analysis," UCLA working papers in phonelics, vol. 16, pp. 1 – 84, 1970.
- [2] J. D. Carroll and J. J. Chang, "Analysis of individual differences in multidimensional scaling via an N-way generalization of 'Eckart-Young' decomposition," *Psychometrika*, vol. 35, pp. 283 – 319, 1970.
- [3] N. Sidiropoulos, G. Giannakis, and R. Bro, "Blind PARAFAC receivers for DS-CDMA systems," *IEEE Trans. Signal Process.*, vol. 48, no. 3, pp. 810 – 823, Mar. 2000.
- [4] J. P. C. L. da Costa, F. Roemer, M. Haardt, and R. T. de Sousa Jr., "Multi-dimensional model order selection," *EURASIP Journal on Advances in Signal Processing*, vol. 1, pp. 1 – 26, 2011.
- [5] N. D. Sidiropoulos, R. Bro, and G. B. Giannakis, "Parallel factor analysis in sensor array processing," *IEEE Trans. Signal Process.*, vol. 48, no. 8, pp. 2377 – 2388, Aug. 2000.
- [6] F. Roemer and M. Haardt, "A closed-form solution for parallel factor (PARAFAC) analysis," in *Proc. IEEE Int. Conf. Acoustics, Speech and Sig. Proc. (ICASSP 2008)*, Apr. 2008.
- [7] F. Roemer and M. Haardt, "A closed-form solution for multilinear PARAFAC decompositions," in *Proc. 5-th IEEE Sensor Array and Multich. Sig. Proc. Workshop (SAM 2008)*, Jul. 2009.
- [8] F. Roemer and M. Haardt, "A semi-algebraic framework for approximate CP decompositions via simultaneous matrix diagonalizations (SECSI)," *Elsevier Signal Processing*, vol. 93, pp. 2722 – 2738, Sept. 2013.
- [9] F. Roemer, C. Schroeter, and M. Haardt, "A semi-algebraic framework for approximate CP decompositions via joint matrix diagonalization and generalized unfoldings," in *Proc. of the 46th Asilomar Conference on Signals, Systems, and Computers*, Nov. 2012.
- [10] E. R. Balda, S. A. Cheema, J. Steinwandt, M. Haardt, A. Weiss, and A. Yeredor, "First-order perturbation analysis of low-rank tensor approximations based on the truncated HOSVD," in *Proc. of 50th Asilomar Conf. Signals, Systems, and Computers* (*Pacific Grove, CA*), Nov. 2016.
- [11] S. A. Cheema, E. R. Balda, Y. Cheng, A. Weiss, A. Yeredor, and M. Haardt, "First-Order Perturbation Analysis of the SECSI Framework for the Approximate CP Decomposition of 3-D Noise-Corrupted Low-Rank Tensors," Oct. 2017, arXiv:1710.06693.
- [12] X. Luciani and L. Albera, "Semi-algebraic canonical decomposition of multi-way arrays and joint eigenvalue decomposition," in *Proc. IEEE Int. Conference on Acoustics, Speech, and Signal Processing (ICASSP 2011)*, May 2011.
- [13] X. Luciani and L. Albera, "Canonical Polyadic Decomposition based on joint eigenvalue decomposition," *Chemometrics and Intelligent Laboratory Systems*, vol. 132, pp. 152 – 167, 2014.
- [14] F. Roemer and M. Haardt, "Tensor-based channel estimation (TENCE) and iterative refinements for two-way relaying with multiple antennas and spatial reuse," *IEEE Transactions on Signal Processing*, vol. 58, no. 10, pp. 5720 – 5735, Nov. 2010.

- [15] Y. Cheng, S. A. Cheema, M. Haardt, A. Weiss, and A. Yeredor, "Performance analysis of least-squares Khatri-Rao factorization," in *Proc. IEEE 6th Int. Workshop on Computational Ad*vances in Multi-Sensor Adaptive Processing (CAMSAP 2017), Dec. 2017.
- [16] L. de Lathauwer, B. de Moor, and J. Vanderwalle, "A multilinear singular value decomposition," *SIAM J. Matrix Anal. Appl.*, vol. 21, no. 4, pp. 1253 – 1278, 2000.
- [17] F. Li, H. Liu, and R. J. Vaccaro, "Performance analysis for DOA estimation algorithms: Unification, simplifications, observations," *IEEE Trans. Aerosp. Electron. Syst.*, vol. 29, no. 4, pp. 1170 – 1184, Oct. 1993.
- [18] X. Luciani and L. Albera, "Joint eigenvalue decomposition using polar matrix factorization," in *Proc. International Conference on Latent Variable Analysis and Signal Separation*. 2010, pp. 555 – 562, Springer.
- [19] E. R. Balda, S. A. Cheema, A. Weiss, A. Yeredor, and M. Haardt, "Perturbation Analysis of Joint Eigenvalue Decomposition Algorithms," in *Proc. IEEE Int. Conference on Acoustics, Speech, and Signal Processing (ICASSP 2017)*, Mar. 2017.
- [20] G. W. Stewart, "On the Perturbation of Pseudo-Inverses, Projections and Linear Least Squares Problems," *SIAM Review*, vol. 19, no. 4, pp. 634 – 662, Oct. 1977.